



SALYER, GARBEE & Co.

A PROFESSIONAL CORPORATION

Certified Public Accountants

209 BOULEVARD, P.O. Box 1024

SALEM, VIRGINIA 24153

TEL. 540/387-0229

FAX 540/387-2035

MEMBERS

AMERICAN INSTITUTE OF
CERTIFIED PUBLIC ACCOUNTANTS

VIRGINIA SOCIETY OF
CERTIFIED PUBLIC ACCOUNTANTS

System Review Report

To the Shareholders
Mitchell & Co., P.C.
and the VSCPA Peer Review Committee

We have reviewed the system of quality control for the accounting and auditing practice of **Mitchell & Co., P.C.** (the firm) in effect for the year ended February 28, 2010. Our peer review was conducted in accordance with the *Standards for Performing and Reporting on Peer Reviews* established by the Peer Review Board of the American Institute of Certified Public Accountants. The firm is responsible for designing a system of quality control and complying with it to provide the firm with reasonable assurance of performing and reporting in conformity with applicable professional standards in all material respects. Our responsibility is to express an opinion on the design of the system of quality control and the firm's compliance therewith based on our review. The nature, objectives, scope, limitations of, and the procedures performed in a system review are described in the standards at www.aicpa.org/prsummary.

As required by the standards, engagements selected for review included an audit performed under *Government Auditing Standards* and an audit of an employee benefit plan.

In our opinion, the system of quality control for the accounting and auditing practice of **Mitchell & Co., P.C.**, in effect for the year ended February 28, 2010, has been suitably designed and complied with to provide the firm with reasonable assurance of performing and reporting in conformity with applicable professional standards in all material respects. Firms can receive a rating of pass, pass with deficiency(ies) or fail. **Mitchell & Co., P.C.** has received a peer review rating of pass.

Salyer, Garbee & Co.

August 17, 2010